

Safety Data Sheet

Company: Yamato Gokin Co., Ltd.
 Address: 〒354-0045
 474 Kamitome, Miyoshi-machi, Iruma-gun, Saitama-ken, Japan
 Department: Sales
 Contact: Head of Sales
 Phone #: 049-273-6006
 Fax #: 049-273-6016

Emergency Contact
 Facility: Miyoshi Gokin Kogyo Co., Ltd.
 Address: 〒354-0045
 508 Kamitome, Miyoshi-machi, Iruma-gun, Saitama-ken, Japan
 Department: Quality Assurance
 Contact: Head of Quality Assurance
 Phone #: 049-258-3381
 Fax #: 049-258-5279

Document Creation: 2016.11.21
 English Translation: 2017.09.08
 Updated: 2023.12.04

1. Product Name

BeCu50

2. GHS Classification

These alloys are unclassified; GHS classification information for constituent elements is listed below.

2.1 Copper (Cu)

Physical Hazards	Not Classified	
Health Hazards	Skin Sensitization STOT - Single Exposure	Category 1A Category 1 (digestive organs) Category 3 (respiratory irritation)
Environmental Hazards	Not Classified	

GHS Label Elements
 Pictogram



Signal Word: Danger / Warning

Hazard Statements: H317: May cause an allergic skin reaction
 H335: May cause respiratory irritation
 H370: Causes damage to organs (digestive organs)

Precautionary Statements
 Safety Measures: Minimize generation and build-up of dust particles.
 Do not inhale dust / fumes.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 In case of inadequate ventilation wear respiratory protection.

Emergency Measures
 IF ON SKIN: Wash with plenty of water.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 IF exposed or concerned: Call a doctor.
 If skin irritation or rash occurs: Get medical advice/attention.
 If experiencing respiratory symptoms: Call a doctor.
 Wash contaminated clothes before reusing.

Storage Store locked up.

Risks not covered by GHS classification None known

2.2 Beryllium (Be)

Physical Hazards	Not Classified	
Health Hazards	Respiratory sensitization	Category 1
	Skin sensitization	Category 1
	Carcinogenicity	Category 1A
	STOT – single exposure	Category 1 (respiratory organs)
	STOT – repeat exposure	Category 1 (respiratory organs)
Environmental Hazards	Aquatic environmental chronic toxicity	Category 4

GHS Label Elements
 Pictogram



Signal Word Danger / Caution

Hazard Statements
 H334: May cause allergy or allergy symptoms or breathing difficulties if inhaled
 H317: May cause an allergic skin reaction
 H350: May cause cancer
 H370: Causes damage to organs (respiratory organs)
 H372: Causes damage to organs through prolonged or repeated exposure (respiratory organs)
 H413: May cause long-lasting harmful effects to aquatic life

Precautionary Statements
 Safety Measures

Minimize generation and build-up of dust particles.
 Do not inhale dust / fumes.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 In case of inadequate ventilation wear respiratory protection.

Emergency Measures
 IF ON SKIN: Wash with plenty of water.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 IF exposed or concerned: Call a doctor.
 If skin irritation or rash occurs: Get medical advice/attention.
 If experiencing respiratory symptoms: Call a doctor.
 Wash contaminated clothes before reusing.

Storage Store locked up.

Risks not covered by GHS classification None known

2.3 Nickel (Ni)

Physical Hazards	Not Classified
Health Hazards	Not Classified
Environmental Hazards	Not Classified
Risks not covered by GHS classification	None known

2.4 Silver (Ag)

Physical Hazards	Not Classified	
Health Hazards	Eye irritant Skin sensitizer STOT – single exposure STOT – repeat exposure	Category 2B Category 1 Category 1 (respiratory system) Category 1 (eyes, respiratory system)
Environmental Hazards	Not Classified	

GHS Label Elements
Pictogram



Signal Word	Danger / Warning
Hazard Statements	H320: Causes eye irritation H317: May cause an allergic skin reaction H370: Causes damage to organs (respiratory organs) H372: Causes damage to organs through prolonged or repeated exposure (eyes)

Precautionary Statements
Safety Measures

Minimize generation and build-up of dust particles.
Do not inhale dust / fumes.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
In case of inadequate ventilation wear respiratory protection.

Emergency
Measures

IF ON SKIN: Wash with plenty of water.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF exposed or concerned: Call a doctor.
If skin irritation or rash occurs: Get medical advice/attention.
If experiencing respiratory symptoms: Call a doctor.
Wash contaminated clothes before reusing.

Storage

Store locked up.

Risks not covered by GHS classification None known

2.5 Zirconium (Zr)

Physical Hazards	Flammable Solid	Category 1
Health Hazards	STOT – single exposure	Category 3 (respiratory irritation)
Environmental Hazards	Not Classified	

GHS Label Elements
Pictogram



Signal Word	Warning
Hazard Statement	H228: Flammable solid H335: May cause respiratory irritation

Precautionary Statements

Safety Measures	Minimize generation and build-up of dust particles. Do not inhale dust / fumes. Contaminated work clothing must not be allowed out of the workplace. In case of inadequate ventilation wear respiratory protection.
-----------------	--

Emergency Measures	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Call a doctor. If experiencing respiratory symptoms: Call a doctor. Wash contaminated clothes before reusing.
--------------------	--

Storage	Store locked up.
---------	------------------

Risks not covered by GHS classification None known

3. Material Characteristics

Classification	: Mixture
Chemical Name	: Copper-Beryllium-Nickel-Silver-Zirconium Alloy
Hazardous Ingredients :	

Names and composition (mass%) of Class 1 Designated Chemical Substances as per the "Law Concerning Reporting, etc. of Releases to the Environment of Specific Chemical Substances and Promoting Improvements in Their Management" (PRTR Law)

	Cu	Be	Ni	Ag	Zr
Item	Copper	Beryllium	Nickel	Silver	Zirconium
Chemical Composition	bal.	0.2~0.4	1.4~2.1	0.1~0.2	0.1~0.3
Government No.	N/A	394 (1)	308	82	N/A
CAS No.	7440-50-8	7440-41-7	7440-02-0	7440-22-4	7440-67-7

(1) Specific Class 1 Designated Chemical Substance

4. First-Aid Measures

- Damage from fumes or dust
 - Immediately remove victim to fresh air.
 - If victim has trouble breathing, assist with breathing and seek medical attention.
- Eye contact
 - If foreign matter enters the eyes, do not rub. Wash out eyes with plenty of water.
 - If irritation persists, seek medical attention.
- Skin contact
 - Brush off foreign matter with hands and wash the affected area well with water.
 - If irritation persists, seek medical attention.

5. Fire-Fighting Measures

Not applicable (non-combustible)

6. Accidental Release Measures

Product is a solid, so accidental release / spillage is not a concern under normal environmental conditions.

7. Handling and Storage

- No special handling needed, though wearing gloves is recommended when handling products with sharp corners and edges.
- In high-humidity locations, store product indoors.

8. Exposure Controls / Personal Protection

Melting, casting, cutting, thermal cutting and grinding are classified as "dusty work" according to the "Ordinance on Prevention of Hazards Due to Dust," and must be managed accordingly.

- Keep source of dust sealed, or install local exhaust ventilation system
- Wear respiratory protective equipment
- Periodically clean up accumulated dust
- If dust gets on work clothes, clean clothes by washing
- Wash hands and gargle after working

Permissible Exposure Limit

Material	Form	Permissible Density (mg/m ³)	
		Japan Society for Occupational Health	ACGIH
Cu	Fumes	—	0.2
	Dust and mist (as Cu)	—	1
Be	Particles	0.002	0.00005
Ni	Particles	1	—
Ag	Particles	0.01	0.01

9. Physical and Chemical Properties

Appearance : Metallic
Color : Copper
Relative Density : 8.81
Boiling Point : N/A
Melting Point : 1080°C
Solubility : Not soluble in water
Odor : Odorless

10. Stability and Reactivity

- Stable under normal handling conditions.
- Contact with acid or similar chemical substance may produce hydrogen gas.

11. Toxicological Information

○ Acute Toxicity

- Inhaling dust particles from fumes, etc. may induce the following: cough, chest pain, fever.

○ Chronic Toxicity

- Inhaling dust particles from fumes, etc. may induce the following: pneumoconiosis.

○ Carcinogenicity

Beryllium and Be compounds

Japan Society for Occupational Health : 2A

ACGIH : A1

Nickel

Japan Society for Occupational Health : 2B

ACGIH : A5

12. Ecological Information

- No data on the ecological effects of this product is currently available.

13. Disposal Considerations

- Dispose of product in an environmentally conscious and appropriate manner. Disposal must be in accordance with all applicable industrial waste regulations, including prefectural and municipal requirements.

14. Transport Information

- None in particular. During sea transport, minimizing the product's exposure to sea water is recommended.

15. Applicable Regulatory Laws

- Law Concerning Reporting, etc. of Releases to the Environment of Specific Chemical Substances and Promoting Improvements in Their Management
- Industrial Safety and Health Law

16. Other Information

The information on this data sheet was compiled based on our current knowledge and available documentation. It may be replaced in the event that new information becomes available. Furthermore, the precautions presented herein apply only to normal handling of the product, and do not constitute a guarantee of safety.

Cited References

Handbook of Industrial Poisoning (Ishiyaku Publishers Inc.)

Hazardous Materials Handbook (Maruzen Publishing Co., Ltd.)

Metals Data Book (Maruzen Publishing Co., Ltd.)

NITE Chemical Information Risk Platform (CHRIP)