Safety Data Sheet

Company: Yamato Gokin Co., Ltd.

474 Kamitome, Miyoshi-machi, Iruma-gun, Saitama-ken, Japan

Department: Sales

Contact: Head of Sales Phone #: 049-273-6006 Fax #: 049-273-6016

Emergency Contact

Facility: Miyoshi Gokin Kogyo Co., Ltd.

Address: $\mp 354-0045$

508 Kamitome, Miyoshi-machi, Iruma-gun, Saitama-ken, Japan

Department: Quality Assurance

Contact: Head of Quality Assurance

Phone #: 049-258-3381 Fax #: 049-258-5279

Document Creation: 2016.11.21 English Translation: 2017.09.08

1. Product Name

BeCu50

2. GHS Classification

These alloys are unclassified; GHS classification information for constituent elements is listed below.

2.1 Copper (Cu)

Physical Hazards Not Classified

Health Hazards Skin Sensitization Category 1A

STOT - Single Exposure Category 1 (digestive organs)

Category 3 (respiratory irritation)

Environmental Hazards Not Classified

GHS Label Elements

Pictogram



Signal Word Danger / Warning

Hazard Statements H317: May cause an allergic skin reaction

H335: May cause respiratory irritation

H370: Causes damage to organs (digestive organs)

Precautionary Statements

Safety Measures Minimize generation and build-up of dust particles.

Do not inhale dust / fumes. Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

In case of inadequate ventilation wear respiratory protection.

Emergency IF ON SKIN: Wash with plenty of water.

Measures IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

IF exposed or concerned: Call a doctor.

If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a doctor.

Wash contaminated clothes before reusing.

Storage Store locked up.

Risks not covered by GHS classification None known

2.2 Beryllium (Be)

Physical Hazards Not Classified

Health Hazards Respiratory sensitization Category 1 Skin sensitization Category 1

Carcinogenicity Category 1 Category 1 Caregory 1 Category 1 Catego

STOT – single exposure Category 1 (respiratory organs)
STOT – repeat exposure Category 1 (respiratory organs)

Environmental Hazards Aquatic environmental chronic Category 4

toxicity

GHS Label Elements

Pictogram



Signal Word Danger / Caution

Hazard Statements H334: May cause allergy or allergy symptoms or breathing difficulties if inhaled

H317: May cause an allergic skin reaction

H350: May cause cancer

H370: Causes damage to organs (respiratory organs)

H372: Causes damage to organs through prolonged or repeated exposure

(respiratory organs)

H413: May cause long-lasting harmful effects to aquatic life

Precautionary Statements

Safety Measures Minimize generation and build-up of dust particles.

Do not inhale dust / fumes. Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

In case of inadequate ventilation wear respiratory protection.

Emergency IF ON SKIN: Wash with plenty of water.

Measures IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

IF exposed or concerned: Call a doctor.

If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a doctor.

Wash contaminated clothes before reusing.

Storage Store locked up.

Risks not covered by GHS classification None known

2.3 Nickel (Ni)

Physical Hazards Not Classified

Health Hazards Not Classified

Environmental Hazards Not Classified

Risks not covered by GHS classification None known

2.4 Silver (Ag)

Physical Hazards Not Classified

Health Hazards Category 2B Eve irritant

Skin sensitizer Category 1

STOT – single exposure STOT – repeat exposure Category 1 (respiratory system)

Category 1 (eyes, respiratory system)

Environmental Hazards Not Classified

GHS Label Elements

Pictogram



Signal Word Danger / Warning

Hazard Statements H320: Causes eye irritation

H317: May cause an allergic skin reaction

H370: Causes damage to organs (respiratory organs)

H372: Causes damage to organs through prolonged or repeated exposure (eyes)

Precautionary Statements

Safety Measures Minimize generation and build-up of dust particles.

> Do not inhale dust / fumes. Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

In case of inadequate ventilation wear respiratory protection.

Emergency IF ON SKIN: Wash with plenty of water.

IF INHALED: Remove victim to fresh air and keep at rest in a position Measures

comfortable for breathing.

IF exposed or concerned: Call a doctor.

If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a doctor.

Wash contaminated clothes before reusing.

Storage Store locked up.

Risks not covered by GHS classification None known

2.5 Zirconium (Zr)

Physical Hazards Flammable Solid Category 1

Health Hazards STOT – single exposure Category 3 (respiratory irritation)

Environmental Hazards Not Classified

GHS Label Elements

Pictogram





Signal Word Warning

Hazard Statemetn H228: Flammable solid

H335: May cause respiratory irritation

Precautionary Statements

Safety Measures Minimize generation and build-up of dust particles.

Do not inhale dust / fumes.

Contaminated work clothing must not be allowed out of the workplace.

In case of inadequate ventilation wear respiratory protection.

Emergency Measures IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

IF exposed or concerned: Call a doctor.

If experiencing respiratory symptoms: Call a doctor.

Wash contaminated clothes before reusing.

Storage Store locked up.

Risks not covered by GHS classification None known

3. Material Characteristics

Classification : Mixture

Chemical Name : Copper-Beryllium-Nickel-Silver-Zirconium Alloy

Hazardous Ingredients:

Names and composition (mass%) of Class 1 Designated Chemical Substances as per the "Law Concerning Reporting, etc. of Releases to the Environment of Specific Chemical Substances and Promoting

Improvements in Their Management" (PRTR Law)

	Cu	Ве	Ni	Ag	Zr
Item	Copper	Beryll- ium	Nickel	Silver	Zirco- nium
Chemical Composition	bal.	$0.2 \sim 0.4$	1.4~2.1	0.1~0.2	0.1~0.3
Government No.	N/A	394(1)	308	82	N/A
CAS No.	7440-50-8	7440-41-7	7440-02-0	7440-22-4	7440 - 67 - 7

⁽¹⁾ Specific Class 1 Designated Chemical Substance

4. First-Aid Measures

- O Damage from fumes or dust
 - · Immediately remove victim to fresh air.
 - If victim has trouble breathing, assist with breathing and seek medical attention.
- O Eye contact
 - If foreign matter enters the eyes, do not rub. Wash out eyes with plenty of water.
 - If irritation persists, seek medical attention.
- O Skin contact
 - · Brush off foreign matter with hands and wash the affected area well with water.
 - If irritation persists, seek medical attention.

5. Fire-Fighting Measures

Not applicable (non-combustible)

6. Accidental Release Measures

Product is a solid, so accidental release / spillage is not a concern under normal environmental conditions.

7. Handling and Storage

- No special handling needed, though wearing gloves is recommended when handling products with sharp corners and edges.
- In high-humidity locations, store product indoors.

8. Exposure Controls / Personal Protection

Melting, casting, cutting, thermal cutting and grinding are classified as "dusty work" according to the "Ordinance on Prevention of Hazards Due to Dust," and must be managed accordingly.

- Keep source of dust sealed, or install local exhaust ventillation system
- Wear respiratory protective equipment
- · Periodically clean up accumulated dust
- If dust gets on work clothes, clean clothes by washing
- · Wash hands and gargle after working

Permissible Exposure Limit

		Permissable Density (mg/m³)		
Material	Form	Japan Society for Occupational Health	ACGIH	
Cu	Fumes	_	0.2	
Cu	Dust and mist (as Cu)	_	1	
Ве	Particles	0.002	0.002	
Ni	Particles	1	_	
Ag	Particles	0.01	0.01	

9. Physical and Chemical Properties

Appearance : Metallic Color : Copper Relative Density : 8.81 Boiling Point : N/A Melting Point : 1080℃

Solubility : Not soluble in water

Odor : Odorless

10. Stability and Reactivity

- · Stable under normal handling conditions.
- · Contact with acid or similar chemical substance may produce hydrogen gas.

11. Toxicological Information

- O Acute Toxicity
 - Inhaling dust particles from fumes, etc. may induce the following: cough, chest pain, fever.
- O Chronic Toxicity
 - Inhaling dust particles from fumes, etc. may induce the following: pneumoconiosis.
- O Carcinogenicity

Beryllium and Be compounds

Japan Society for Occupational Health : 2A ACGIH : A1

Nickel

Japan Society for Occupational Health : 2B ACGIH : A5

12. Ecogological Information

• No data on the ecological effects of this product is currently available.

13. Disposal Considerations

 Dispose of product in an environmentally conscious and appropriate manner. Disposal must be in accordance with all applicable industrial waste regulations, including prefectural and municipal requirements.

14. Transport Information

 None in particlar. During sea transport, minimizing the product's exposure to sea water is recommended.

15. Applicable Regulatory Laws

- Law Concerning Reporting, etc. of Releases to the Environment of Specific Chemical Substances and Promoting Improvements in Their Management
- · Industrial Safety and Health Law

16. Other Information

The information on this data sheet was compiled based on our current knowledge and available documentation. It may be replaced in the event that new information becomes available. Furthermore, the precautions presented herein apply only to normal handling of the product, and do not constitute a guarantee of safety.

Cited References

Handbook of Industrial Poisoning (Ishiyaku Publishers Inc.)

Hazardous Materials Handbook (Maruzen Publishing Co., Ltd.)

Metals Data Book (Maruzen Publishing Co., Ltd.)

NITE Chemical Information Risk Platform (CHRIP)